

Rainbow Dance Theatre **Outline of Technical Requirements for *iLumiDance***

iLumiDance is designed for performance in a variety of venues. The Company travels with its own UV light instrument, set pieces, props, puppets and costumes. The show goes up quickly and easily in all venues.

Rainbow Dance Theatre Director of Production: Darryl Thomas
thomasd@wou.edu / 503-930-2732 / 503-838-8375

The following list of requirements for producing *iLumiDance* is meant as a guideline. The Company and its Director of Production are experienced in adapting to a variety of performance situations. As noted above the Company travels with its own equipment including a black light instrument. Communication between the Company Director of Production and a representative of the venue prior to the event is recommended.

Technical requirements for *iLumiDance*

- ~ Clear, clean sprung floor of at least 15 ft X 25 ft (20 X 35 preferred).
- ~ Masking on sides of stage to facilitate entrances and exits. Company will have simple pipe and drape to use if needed.
- ~ Black drape or black wall at back of stage.
- ~ Private dressing area near the stage. Bathrooms nearby.
- ~ Sound system adequate to fill the hall, with ability to patch in Company computer which runs sound and light wire effects from side of stage.
- ~ Three AC current hookups (standard) near the stage: one upstage right, two downstage left to power set pieces and computer.
- ~ Venue technical director and 1-2 additional stage crew for load-in, setup and performance.
- ~ Stage available 4-6 hours prior to performance for load-in, set-up and spacing rehearsal on the stage. Length of setup to be determined by logistics of the stage and crew available for set up.
- ~ Hospitality delivered two hours prior to start of performance: Deli service for 6 artists including sliced meats and cheeses, bread (including gluten free option), condiments, fresh vegetables with substantial dip, bottled water.